

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AddA: Avonburg-----	85	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
AddB2: Avonburg-----	75	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
BbhA: Bartle-----	83	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
BcrAQ: Beanblossom-----	90	Very limited Flooding	1.00	Very limited Flooding Depth to saturated zone	1.00 0.87	Very limited Flooding	1.00
BcrAW: Beanblossom-----	89	Very limited Flooding	1.00	Very limited Flooding Depth to saturated zone	1.00 0.87	Very limited Flooding	1.00
BdoA: Bedford-----	90	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.39	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.39
BdoB: Bedford-----	90	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.39	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.39
BfbC2: Blocher, Soft Bedrock Substratum	46	Somewhat limited Shrink-swell Slope	0.50 0.04	Very limited Depth to saturated zone Shrink-swell Slope	1.00 0.50 0.04	Very limited Slope Shrink-swell	1.00 0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Weddel-----	30	Somewhat limited Depth to saturated zone Shrink-swell Slope	0.98 0.50 0.04	Very limited Depth to saturated zone Shrink-swell Slope	1.00 0.50 0.04	Very limited Slope Depth to saturated zone Shrink-swell	1.00 0.98 0.50
BfcC3: Blocher, Soft Bedrock Substratum	49	Somewhat limited Shrink-swell	0.50	Very limited Depth to	1.00	Very limited Slope	1.00

		Slope	0.04	saturated zone Shrink-swell Slope	0.50 0.04	Shrink-swell	0.50
Weddel-----	32	Very limited Depth to saturated zone Slope	1.00 0.04	Very limited Depth to saturated zone Slope	1.00 0.04	Very limited Slope Depth to saturated zone	1.00 1.00
BnyD3: Bonnell-----	74	Very limited Shrink-swell Slope	1.00 1.00	Very limited Shrink-swell Slope	1.00 1.00	Very limited Slope Shrink-swell	1.00 1.00
BobE5: Bonnell, gullied----	45	Very limited Slope Shrink-swell	1.00 1.00	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 1.00
Hickory, gullied----	30	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
BodAW: Bonnie-----	73	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
BvoG: Brownstown-----	39	Very limited Slope Content of large stones Depth to hard bedrock	1.00 0.18 0.06	Very limited Slope Depth to hard bedrock Content of large stones	1.00 1.00 0.18	Very limited Slope Content of large stones Depth to hard bedrock	1.00 0.18 0.06
Gilwood-----	38	Very limited Slope Depth to hard bedrock	1.00 0.29	Very limited Slope Depth to hard bedrock	1.00 1.00	Very limited Slope Depth to hard bedrock	1.00 0.29

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CcaG: Caneyville-----	53	Very limited Slope Shrink-swell Depth to hard bedrock	1.00 1.00 0.20	Very limited Slope Shrink-swell Depth to hard bedrock	1.00 1.00 1.00	Very limited Slope Shrink-swell Depth to hard bedrock	1.00 1.00 0.20
Rock Outcrop-----	15	Not rated		Not rated		Not rated	
CkkB2: Cincinnati-----	80	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.39	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Somewhat limited Shrink-swell Depth to saturated zone Slope	0.50 0.39 0.01
CldC2: Cincinnati-----	42	Somewhat limited Shrink-swell Depth to saturated zone Slope	0.50 0.39 0.04	Very limited Depth to saturated zone Shrink-swell Slope	1.00 0.50 0.04	Very limited Slope Shrink-swell Depth to saturated zone	1.00 0.50 0.39
Blocher-----	34	Somewhat limited Shrink-swell Depth to saturated zone Slope	0.50 0.39 0.04	Very limited Depth to saturated zone Shrink-swell Slope	1.00 0.50 0.04	Very limited Slope Shrink-swell Depth to saturated zone	1.00 0.50 0.39
CldC3: Cincinnati-----	42	Somewhat limited Depth to	0.98	Very limited Depth to	1.00	Very limited Slope	1.00

Blocher-----	34	saturated zone		saturated zone			
		Shrink-swell	0.50	Shrink-swell	0.50	Depth to	0.98
		Slope	0.04	Slope	0.04	saturated zone	
						Shrink-swell	0.50
		Somewhat limited		Very limited		Very limited	
ClfA: Cobbsfork-----	75	Shrink-swell	0.50	Depth to	1.00	Slope	1.00
		Slope	0.04	Shrink-swell	0.50	Shrink-swell	0.50
				Slope	0.04		
		Very limited		Very limited		Very limited	
		Ponding	1.00	Ponding	1.00	Ponding	1.00
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ComC: Coolville-----	71	Very limited Depth to saturated zone Shrink-swell  Slope	1.00  0.50  0.04	Very limited Depth to saturated zone Shrink-swell  Slope	1.00  0.50  0.04	Very limited Slope  Depth to saturated zone Shrink-swell	1.00  1.00  0.50
ConC3: Coolville-----	45	Very limited Depth to saturated zone Shrink-swell  Slope	1.00  0.50  0.04	Very limited Depth to saturated zone Shrink-swell  Slope	1.00  0.50  0.04	Very limited Slope  Depth to saturated zone Shrink-swell	1.00  1.00  0.50
Rarden-----	45	Very limited Depth to saturated zone Shrink-swell  Slope	1.00  0.50  0.04	Very limited Depth to saturated zone Shrink-swell  Slope Depth to soft bedrock	1.00  0.50  0.04 0.03	Very limited Slope  Depth to saturated zone Shrink-swell	1.00  1.00  0.50
ConD: Coolville-----	51	Very limited Slope  Depth to saturated zone Shrink-swell	1.00  1.00 0.50	Very limited Depth to saturated zone Slope  Shrink-swell	1.00  1.00 0.50	Very limited Slope  Depth to saturated zone Shrink-swell	1.00  1.00 0.50
Rarden-----	30	Very limited Slope  Depth to saturated zone Shrink-swell	1.00  1.00 0.50	Very limited Depth to saturated zone Slope  Shrink-swell Depth to soft bedrock	1.00  1.00 0.50 0.06	Very limited Slope  Depth to saturated zone Shrink-swell	1.00  1.00 0.50
CspA: Crider-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
CspB2: Crider, eroded-----	85	Somewhat limited Shrink-swell	0.50	Very limited Shrink-swell	1.00	Somewhat limited Shrink-swell	0.50
CtrB2: Crider, karst-----	78	Somewhat limited Shrink-swell	0.50	Very limited Shrink-swell	1.00	Somewhat limited Shrink-swell	0.50
CtwB: Crider-----	39	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.44	Somewhat limited Shrink-swell Slope	0.50 0.01

	map unit	Rating class and limiting features		Rating class and limiting features		Rating class and limiting features	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Bedford-----	29	Somewhat limited Depth to saturated zone Shrink-swell	0.98 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Somewhat limited Depth to saturated zone Shrink-swell Slope	0.98 0.50 0.01
Navilleton-----	28	Somewhat limited Shrink-swell	0.50	Very limited Shrink-swell	1.00	Somewhat limited Shrink-swell Slope	0.50 0.01
CwaAQ: Cuba-----	92	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
CxgC3: Crider, severely eroded-----	46	Somewhat limited Shrink-swell Slope	0.50 0.04	Very limited Shrink-swell Slope	1.00 0.04	Very limited Slope Shrink-swell	1.00 0.50
Haggatt, severely eroded-----	46	Very limited Shrink-swell Slope	1.00 0.04	Very limited Shrink-swell Depth to hard bedrock Slope	1.00 0.42 0.04	Very limited Shrink-swell Slope	1.00 1.00
CxhC2: Crider-----	56	Somewhat limited Shrink-swell Slope	0.50 0.04	Somewhat limited Shrink-swell Slope	0.50 0.04	Very limited Slope Shrink-swell	1.00 0.50
Haggatt-----	37	Very limited Shrink-swell Slope	1.00 0.04	Very limited Shrink-swell Depth to hard bedrock Slope	1.00 0.42 0.04	Very limited Shrink-swell Slope	1.00 1.00
CxmC2: Crider, karst-----	52	Somewhat limited Shrink-swell Slope	0.50 0.04	Somewhat limited Shrink-swell Slope	0.50 0.04	Very limited Slope Shrink-swell	1.00 0.50
Haggatt, karst-----	35	Very limited Shrink-swell Slope	1.00 0.04	Very limited Shrink-swell Depth to hard bedrock Slope	1.00 0.42 0.04	Very limited Shrink-swell Slope	1.00 1.00
CxnC3: Crider, karst, severely eroded----	44	Somewhat limited Shrink-swell Slope	0.50 0.04	Very limited Shrink-swell Slope	1.00 0.04	Very limited Slope Shrink-swell	1.00 0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Haggatt, severely eroded-----	44	Very limited Shrink-swell Slope	1.00 0.04	Very limited Shrink-swell Depth to hard bedrock Slope	1.00 0.42 0.04	Very limited Shrink-swell Slope	1.00 1.00
DbrG: Deam-----	94	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell Depth to soft bedrock	1.00 0.50 0.06	Very limited Slope Shrink-swell	1.00 0.50
DdsAW: Dearborn-----	80	Very limited Flooding Content of large stones	1.00 1.00	Very limited Flooding Content of large stones	1.00 1.00	Very limited Flooding Content of large stones	1.00 1.00

DfnA:							
Dubois-----	85	Very limited		Very limited		Very limited	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
DtvC2:							
Deputy-----	50	Somewhat limited		Very limited		Very limited	
		Depth to	0.98	Depth to	1.00	Slope	1.00
		saturated zone		saturated zone			
		Shrink-swell	0.50	Shrink-swell	0.50	Depth to	0.98
						saturated zone	
		Slope	0.04	Slope	0.04	Shrink-swell	0.50
Trappist-----	27	Somewhat limited		Very limited		Very limited	
		Shrink-swell	0.50	Depth to hard	1.00	Slope	1.00
				bedrock			
		Depth to hard	0.35	Shrink-swell	0.50	Shrink-swell	0.50
		bedrock					
		Slope	0.04	Slope	0.04	Depth to hard	0.35
						bedrock	
EbpD2:							
Eden-----	82	Very limited		Very limited		Very limited	
		Shrink-swell	1.00	Shrink-swell	1.00	Slope	1.00
		Slope	1.00	Slope	1.00	Shrink-swell	1.00
		Content of large	0.06	Depth to soft	0.42	Content of large	0.06
		stones		bedrock		stones	
				Content of large	0.06		
				stones			
EesA:							
Elkinsville-----	52	Somewhat limited		Somewhat limited		Somewhat limited	
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
Millstone-----	43	Not limited		Not limited		Not limited	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EesB:							
Elkinsville-----	52	Somewhat limited		Somewhat limited		Somewhat limited	
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
Millstone-----	43	Not limited		Not limited		Not limited	
EesC2:							
Elkinsville-----	44	Somewhat limited		Somewhat limited		Very limited	
		Shrink-swell	0.50	Shrink-swell	0.50	Slope	1.00
		Slope	0.04	Slope	0.04	Shrink-swell	0.50
Millstone-----	43	Somewhat limited		Somewhat limited		Very limited	
		Slope	0.04	Slope	0.04	Slope	1.00
EesD2:							
Elkinsville-----	44	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
Millstone-----	44	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
EesFQ:							
Elkinsville-----	48	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
Millstone-----	47	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Flooding	1.00	Flooding	1.00	Flooding	1.00
EsaG:							
Eden-----	74	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Shrink-swell	1.00	Shrink-swell	1.00	Shrink-swell	1.00
		Content of large	0.28	Depth to soft	0.42	Content of large	0.28
		stones		bedrock		stones	
				Content of large	0.28		
				stones			
GgbG:							
Gilwood-----	45	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to hard	0.29	Depth to hard	1.00	Depth to hard	0.29

		bedrock		bedrock		bedrock	
Brownstown-----	35	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Content of large stones	0.18	Depth to hard bedrock	1.00	Content of large stones	0.18
		Depth to hard bedrock	0.06	Content of large stones	0.18	Depth to hard bedrock	0.06

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ggfd: Gilwood-----	39	Somewhat limited Slope	0.84	Very limited Depth to hard bedrock	1.00	Very limited Slope	1.00
		Depth to hard bedrock	0.29	Slope	0.84	Depth to hard bedrock	0.29
Wrays-----	38	Somewhat limited Slope	0.84	Somewhat limited Depth to hard bedrock	0.88	Very limited Slope	1.00
		Shrink-swell	0.50	Slope	0.84	Shrink-swell	0.50
				Shrink-swell	0.50		
GgfE2: Gilwood-----	42	Very limited Slope	1.00	Very limited Depth to hard bedrock	1.00	Very limited Slope	1.00
		Depth to hard bedrock	0.29	Slope	1.00	Depth to hard bedrock	0.29
Wrays-----	36	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Shrink-swell	0.50	Depth to hard bedrock	0.88	Shrink-swell	0.50
				Shrink-swell	0.50		
GmaG: Gnawbone-----	48	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
				Depth to soft bedrock	0.01		
Kurtz-----	32	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
GyaD2: Grayford-----	73	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
				Depth to hard bedrock	0.42		
GyaD3: Grayford-----	78	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
				Depth to hard bedrock	0.42		
GyaD5: Grayford, gullied---	65	Very limited Shrink-swell	1.00	Very limited Shrink-swell	1.00	Very limited Slope	1.00
		Slope	1.00	Slope	1.00	Shrink-swell	1.00
				Depth to hard bedrock	0.42		

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GykD2: Grayford, karst-----	74	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

			Shrink-swell	0.50	Shrink-swell Depth to hard bedrock	0.50 0.42	Shrink-swell	0.50
GykD3: Grayford, karst-----	74	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell Depth to hard bedrock	1.00 0.50 0.42	Very limited Slope Shrink-swell	1.00 0.50	
HcaA: Hatfield-----	85	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	
HccB2: Haubstadt-----	84	Somewhat limited Depth to saturated zone Shrink-swell	0.98 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Somewhat limited Depth to saturated zone Shrink-swell Slope	0.98 0.50 0.01	
HcdC2: Haubstadt-----	55	Somewhat limited Depth to saturated zone Shrink-swell	0.98 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Slope Depth to saturated zone	1.00 0.98	
		Slope	0.04	Slope	0.04	Shrink-swell	0.50	
Shircliff-----	23	Very limited Shrink-swell Depth to saturated zone Slope	1.00 0.98 0.37	Very limited Shrink-swell Depth to saturated zone Slope	1.00 1.00 0.37	Very limited Shrink-swell Slope Depth to saturated zone	1.00 1.00 0.98	
HceC3: Haubstadt-----	55	Very limited Depth to saturated zone Shrink-swell Slope	1.00 0.50 0.04	Very limited Depth to saturated zone Shrink-swell Slope	1.00 0.50 0.04	Very limited Depth to saturated zone Slope Shrink-swell	1.00 1.00 0.50	
Shircliff-----	23	Very limited Shrink-swell Depth to saturated zone Slope	1.00 0.98 0.37	Very limited Shrink-swell Depth to saturated zone Slope	1.00 1.00 0.37	Very limited Shrink-swell Slope Depth to saturated zone	1.00 1.00 0.98	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HcgAH: Haymond-----	85	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
HcgAV: Haymond-----	85	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
HcgAW: Haymond-----	82	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
HerE: Hickory-----	45	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
Bonnell-----	38	Very limited Shrink-swell Slope	1.00 1.00	Very limited Shrink-swell Slope	1.00 1.00	Very limited Slope Shrink-swell	1.00 1.00
HtwD2: Haggatt-----	51	Very limited Shrink-swell Slope	1.00 1.00	Very limited Shrink-swell Slope Depth to hard bedrock	1.00 1.00 0.42	Very limited Slope Shrink-swell	1.00 1.00
Caneyville-----	31	Very limited		Very limited		Very limited	

			Shrink-swell	1.00	Shrink-swell	1.00	Slope	1.00
			Slope	1.00	Depth to hard bedrock	1.00	Shrink-swell	1.00
			Depth to hard bedrock	0.46	Slope	1.00	Depth to hard bedrock	0.46
HtzD3: Haggatt, severely eroded-----	51	Very limited			Very limited		Very limited	
		Shrink-swell	1.00	Shrink-swell	1.00	Slope	1.00	
		Slope	1.00	Depth to hard bedrock	0.42	Shrink-swell	1.00	
Caneyville, severely eroded-----	41	Very limited		Very limited		Very limited		
		Shrink-swell	1.00	Shrink-swell	1.00	Slope	1.00	
		Slope	1.00	Depth to hard bedrock	1.00	Shrink-swell	1.00	
		Depth to hard bedrock	0.90	Slope	1.00	Depth to hard bedrock	0.90	
HufAK: Huntington-----	85	Very limited		Very limited		Very limited		
		Flooding	1.00	Flooding	1.00	Flooding	1.00	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HuhD2: Haggatt, karst-----	46	Very limited		Very limited		Very limited	
		Shrink-swell	1.00	Shrink-swell	1.00	Slope	1.00
		Slope	1.00	Slope	1.00	Shrink-swell	1.00
				Depth to hard bedrock	0.42		
Caneyville, karst---	31	Very limited		Very limited		Very limited	
		Shrink-swell	1.00	Shrink-swell	1.00	Slope	1.00
		Slope	1.00	Depth to hard bedrock	1.00	Shrink-swell	1.00
		Depth to hard bedrock	0.46	Slope	1.00	Depth to hard bedrock	0.46
HujD3: Haggatt, karst-----	46	Very limited		Very limited		Very limited	
		Shrink-swell	1.00	Shrink-swell	1.00	Slope	1.00
		Slope	1.00	Slope	1.00	Shrink-swell	1.00
				Depth to hard bedrock	0.42		
Caneyville, karst---	39	Very limited		Very limited		Very limited	
		Shrink-swell	1.00	Shrink-swell	1.00	Slope	1.00
		Slope	1.00	Depth to hard bedrock	1.00	Shrink-swell	1.00
		Depth to hard bedrock	0.46	Slope	1.00	Depth to hard bedrock	0.46
JaeB2: Jennings-----	80	Somewhat limited		Very limited		Somewhat limited	
		Shrink-swell	0.50	Depth to saturated zone	1.00	Shrink-swell	0.50
				Shrink-swell	0.50	Slope	0.01
JafC2: Jennings-----	45	Somewhat limited		Very limited		Very limited	
		Shrink-swell	0.50	Depth to saturated zone	1.00	Slope	1.00
		Slope	0.04	Shrink-swell	0.50	Shrink-swell	0.50
				Slope	0.04		
Blocher, Hard Bedrock Substratum	30	Somewhat limited		Very limited		Very limited	
		Shrink-swell	0.50	Depth to saturated zone	1.00	Slope	1.00
		Slope	0.04	Shrink-swell	0.50	Shrink-swell	0.50
				Slope	0.04		
JafC3: Jennings-----	45	Somewhat limited		Very limited		Very limited	
		Depth to saturated zone	0.98	Depth to saturated zone	1.00	Slope	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Depth to saturated zone	0.98
		Slope	0.04	Slope	0.04	Shrink-swell	0.50



Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Blocher, Hard Bedrock Substratum	30	Somewhat limited Shrink-swell	0.50	Very limited Depth to saturated zone	1.00	Very limited Slope	1.00
		Slope	0.04	Shrink-swell Slope	0.50 0.04	Shrink-swell	0.50
KxkC2: Knobcreek-----	37	Very limited Shrink-swell	1.00	Very limited Shrink-swell	1.00	Very limited Shrink-swell	1.00
		Slope	0.04	Slope	0.04	Slope	1.00
Navilleton-----	35	Somewhat limited Shrink-swell	0.50	Very limited Shrink-swell	1.00	Very limited Slope	1.00
		Slope	0.04	Slope	0.04	Shrink-swell	0.50
KxlC3: Knobcreek-----	33	Very limited Shrink-swell	1.00	Very limited Shrink-swell	1.00	Very limited Shrink-swell	1.00
		Slope	0.04	Slope	0.04	Slope	1.00
Haggatt-----	26	Very limited Shrink-swell	1.00	Very limited Shrink-swell	1.00	Very limited Shrink-swell	1.00
		Slope	0.04	Depth to hard bedrock	0.96	Slope	1.00
				Slope	0.04		
Caneyville-----	24	Very limited Shrink-swell	1.00	Very limited Shrink-swell	1.00	Very limited Shrink-swell	1.00
		Depth to hard bedrock	0.90	Depth to hard bedrock	1.00	Slope	1.00
		Slope	0.04	Slope	0.04	Depth to hard bedrock	0.90
KxlE3: Knobcreek-----	35	Very limited Shrink-swell	1.00	Very limited Shrink-swell	1.00	Very limited Slope	1.00
		Slope	1.00	Slope	1.00	Shrink-swell	1.00
Haggatt-----	22	Very limited Shrink-swell	1.00	Very limited Shrink-swell	1.00	Very limited Slope	1.00
		Slope	1.00	Slope	1.00	Shrink-swell	1.00
				Depth to hard bedrock	0.96		
Caneyville-----	21	Very limited Shrink-swell	1.00	Very limited Shrink-swell	1.00	Very limited Slope	1.00
		Slope	1.00	Depth to hard bedrock	1.00	Shrink-swell	1.00
		Depth to hard bedrock	0.90	Slope	1.00	Depth to hard bedrock	0.90
KxmE2: Knobcreek-----	33	Very limited Shrink-swell	1.00	Very limited Shrink-swell	1.00	Very limited Slope	1.00
		Slope	1.00	Slope	1.00	Shrink-swell	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Haggatt-----	22	Very limited Shrink-swell	1.00	Very limited Shrink-swell	1.00	Very limited Slope	1.00
		Slope	1.00	Slope	1.00	Shrink-swell	1.00
				Depth to hard bedrock	0.88		
Caneyville-----	20	Very limited Shrink-swell	1.00	Very limited Shrink-swell	1.00	Very limited Slope	1.00
		Slope	1.00	Depth to hard bedrock	1.00	Shrink-swell	1.00
		Depth to hard bedrock	0.06	Slope	1.00	Depth to hard bedrock	0.06

KxoC2:							
Knobcreek, karst----	29	Very limited Shrink-swell Slope	1.00 0.04	Very limited Shrink-swell Slope	1.00 0.04	Very limited Shrink-swell Slope	1.00 1.00
Navilleton, karst----	28	Somewhat limited Shrink-swell	0.50	Very limited Shrink-swell	1.00	Somewhat limited Slope Shrink-swell	0.90 0.50
Haggatt, karst-----	27	Very limited Shrink-swell Slope	1.00 0.04	Very limited Shrink-swell Depth to hard bedrock Slope	1.00 0.88 0.04	Very limited Shrink-swell Slope	1.00 1.00
KxpD2:							
Knobcreek, karst----	35	Very limited Shrink-swell Slope	1.00 1.00	Very limited Shrink-swell Slope	1.00 1.00	Very limited Slope Shrink-swell	1.00 1.00
Haggatt, karst-----	31	Very limited Shrink-swell Slope	1.00 1.00	Very limited Shrink-swell Slope Depth to hard bedrock	1.00 1.00 0.88	Very limited Slope Shrink-swell	1.00 1.00
Caneyville, karst----	30	Very limited Shrink-swell Slope	1.00 1.00	Very limited Shrink-swell Depth to hard bedrock Slope	1.00 1.00	Very limited Slope Shrink-swell	1.00 1.00
		Depth to hard bedrock	0.06		1.00	Depth to hard bedrock	0.06
LpoAK:							
Lindside-----	82	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 0.98 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 0.98 0.50
McgC2:							
Markland-----	74	Very limited Shrink-swell Slope	1.00 0.04	Somewhat limited Shrink-swell Slope	0.50 0.04	Very limited Shrink-swell Slope	1.00 1.00
Table ENG-3.--Building Site Development--Continued							

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
McngQ:							
Markland-----	90	Very limited Slope Flooding Shrink-swell	1.00 1.00 1.00	Very limited Slope Flooding Shrink-swell	1.00 1.00 1.00	Very limited Slope Flooding Shrink-swell	1.00 1.00 1.00
McpC3:							
Markland-----	61	Very limited Shrink-swell Slope	1.00 0.04	Somewhat limited Shrink-swell Slope	0.50 0.04	Very limited Shrink-swell Slope	1.00 1.00
McuDQ:							
Markland-----	70	Very limited Flooding Shrink-swell Slope	1.00 1.00 1.00	Very limited Flooding Slope Shrink-swell	1.00 1.00 0.50	Very limited Slope Flooding Shrink-swell	1.00 1.00 1.00
MdgDQ:							
Markland-----	85	Very limited Flooding Shrink-swell Slope	1.00 1.00 1.00	Very limited Flooding Slope Shrink-swell	1.00 1.00 0.50	Very limited Slope Flooding Shrink-swell	1.00 1.00 1.00
MhuA:							
Mcgary-----	93	Very limited Shrink-swell Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Shrink-swell Depth to saturated zone	1.00 1.00
MhyA:							
Medora-----	85	Somewhat limited Shrink-swell	0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Somewhat limited Shrink-swell	0.50

MhyB2: Medora-----	88	Somewhat limited Shrink-swell	0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Somewhat limited Shrink-swell Slope	0.50 0.01
MhyC2: Medora-----	73	Somewhat limited Shrink-swell Slope	0.50 0.04	Very limited Depth to saturated zone Shrink-swell Slope	1.00 0.50 0.04	Very limited Slope Shrink-swell	1.00 0.50
MhyC3: Medora-----	75	Somewhat limited Depth to saturated zone Shrink-swell Slope	0.98 0.50 0.04	Very limited Depth to saturated zone Shrink-swell Slope	1.00 0.50 0.04	Very limited Slope Depth to saturated zone Shrink-swell	1.00 0.98 0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MsvA: Montgomery, drained	82	Very limited Ponding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Shrink-swell	1.00 1.00 1.00
NaaA: Nabb-----	85	Somewhat limited Depth to saturated zone Shrink-swell	0.98 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.98 0.50
NaaB2: Nabb-----	78	Somewhat limited Depth to saturated zone Shrink-swell	0.98 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Somewhat limited Depth to saturated zone Shrink-swell Slope	0.98 0.50 0.01
NbhAK: Newark-----	80	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
OfbAW: Oldenburg-----	85	Very limited Flooding Depth to saturated zone	1.00 0.98	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.98
PcrB2: Pekin-----	85	Somewhat limited Depth to saturated zone	0.98	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone Slope	0.98 0.01
PcrC2: Pekin-----	72	Somewhat limited Depth to saturated zone Slope	0.98 0.04	Very limited Depth to saturated zone Slope	1.00 0.04	Very limited Slope Depth to saturated zone	1.00 0.98
PcrC3: Pekin-----	71	Very limited Depth to saturated zone Slope	1.00 0.04	Very limited Depth to saturated zone Slope	1.00 0.04	Very limited Slope Depth to saturated zone	1.00 1.00
PhaA: Peoga-----	83	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Pml: Pits, Quarry-----	85	Not rated		Not rated		Not rated	
Ppu: Pits, Sand And Gravel-----	80	Not rated		Not rated		Not rated	
Rb1D3: Rarden-----	78	Very limited Slope	1.00	Very limited Depth to saturated zone	1.00	Very limited Slope	1.00
		Depth to saturated zone	1.00	Slope	1.00	Depth to saturated zone	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
				Depth to soft bedrock	0.29		
RbmD5: Rarden, gullied-----	74	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Slope	1.00
		Slope	0.84	Slope	0.84	Depth to saturated zone	1.00
		Shrink-swell	0.50	Depth to soft bedrock	0.79	Shrink-swell	0.50
				Shrink-swell	0.50		
RptG: Rohan-----	45	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Depth to hard bedrock	1.00	Depth to hard bedrock	1.00	Depth to hard bedrock	1.00
Jessietown-----	36	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Depth to hard bedrock	0.46	Depth to hard bedrock	1.00	Depth to hard bedrock	0.46
RtcA: Ryker-----	95	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
RtcB2: Ryker-----	92	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
						Slope	0.01
RzrB2: Ryker-----	80	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
RztC2: Ryker-----	43	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Very limited Slope	1.00
		Slope	0.04	Slope	0.04	Shrink-swell	0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Grayford-----	25	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Very limited Slope	1.00
		Slope	0.04	Depth to hard bedrock	0.42	Shrink-swell	0.50
				Slope	0.04		
RztC3: Ryker-----	44	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Very limited Slope	1.00
		Slope	0.04	Slope	0.04	Shrink-swell	0.50
Grayford-----	28	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Very limited Slope	1.00

			Slope	0.04	Depth to hard bedrock	0.42	Shrink-swell	0.50
					Slope	0.04		
RzvC2: Ryker, karst-----	41	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.88	0.50
Grayford, karst----	26	Somewhat limited Shrink-swell Slope	0.50 0.04	Somewhat limited Shrink-swell Depth to hard bedrock Slope	0.50 0.42 0.04	Very limited Slope Shrink-swell	1.00	0.50
RzvC3: Ryker, karst-----	41	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.88	0.50
Grayford, karst----	26	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to hard bedrock	0.50 0.42	Somewhat limited Slope Shrink-swell	0.88	0.50
SceB2: Scottsburg-----	96	Somewhat limited Depth to saturated zone Shrink-swell	0.98 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.98	0.50
SfyB: Shircliff-----	75	Very limited Shrink-swell Depth to saturated zone	1.00 0.98	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Shrink-swell Depth to saturated zone Slope	1.00	0.98 0.01
SoaB: Spickert-----	95	Somewhat limited Depth to saturated zone Shrink-swell	0.98 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Somewhat limited Depth to saturated zone Shrink-swell Slope	0.98	0.50 0.01

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SodB: Spickert, terrace---	90	Somewhat limited Depth to saturated zone Shrink-swell	0.98 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.98 0.50
SolC2: Spickert-----	44	Somewhat limited Depth to saturated zone Shrink-swell Slope	0.98 0.50 0.04	Very limited Depth to saturated zone Shrink-swell Slope	1.00 0.50 0.04	Very limited Slope Depth to saturated zone Shrink-swell	1.00 0.98 0.50
Wrays-----	32	Somewhat limited Shrink-swell Slope	0.50 0.04	Somewhat limited Depth to hard bedrock Shrink-swell Slope	0.88 0.50 0.04	Very limited Slope Shrink-swell	1.00 0.50
StaAQ: Steff-----	86	Very limited Flooding Depth to saturated zone	1.00 0.98	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.98
StdAQ: Stendal-----	88	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
StdAW: Stendal-----	87	Very limited Flooding Depth to	1.00 1.00	Very limited Flooding Depth to	1.00 1.00	Very limited Flooding Depth to	1.00 1.00

			saturated zone			saturated zone			saturated zone		
ThaC2:											
Trappist-----	84	Somewhat limited		Very limited		Very limited					
		Shrink-swell	0.50	Depth to hard	1.00	Slope	1.00				
		Depth to hard	0.35	bedrock							
		bedrock		Shrink-swell	0.50	Shrink-swell	0.50				
		Slope	0.04	Slope	0.04	Depth to hard	0.35				
						bedrock					
ThbC3:											
Trappist-----	75	Somewhat limited		Very limited		Very limited					
		Depth to hard	0.90	Depth to hard	1.00	Slope	1.00				
		bedrock		bedrock							
		Shrink-swell	0.50	Shrink-swell	0.50	Depth to hard	0.90				
						bedrock					
		Slope	0.04	Slope	0.04	Shrink-swell	0.50				
Table ENG-3.--Building Site Development--Continued											

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ThbD5: Trappist, gullied----	73	Somewhat limited Slope	0.84	Very limited Depth to hard bedrock	1.00	Very limited Slope	1.00
		Shrink-swell Depth to hard bedrock	0.50 0.46	Slope Shrink-swell	0.84 0.50	Shrink-swell Depth to hard bedrock	0.50 0.46
ThcD3: Trappist-----	44	Very limited Slope	1.00	Very limited Depth to hard bedrock	1.00	Very limited Slope	1.00
		Depth to hard bedrock Shrink-swell	0.71 0.50	Slope Shrink-swell	1.00 0.50	Depth to hard bedrock Shrink-swell	0.71 0.50
Rohan-----	29	Very limited Depth to hard bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope	1.00 1.00	Very limited Slope Depth to hard bedrock	1.00 1.00
ThdD: Trappist-----	49	Very limited Slope	1.00	Very limited Depth to hard bedrock	1.00	Very limited Slope	1.00
		Shrink-swell Depth to hard bedrock	0.50 0.10	Slope Shrink-swell	1.00 0.50	Shrink-swell Depth to hard bedrock	0.50 0.10
Rohan-----	33	Very limited Depth to hard bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope	1.00 1.00	Very limited Slope Depth to hard bedrock	1.00 1.00
TsaC3: Trappist-----	46	Somewhat limited Depth to hard bedrock Shrink-swell Slope	0.90 0.50 0.04	Very limited Depth to hard bedrock Shrink-swell Slope	1.00 0.50 0.04	Very limited Slope Depth to hard bedrock Shrink-swell	1.00 0.90 0.50
Deputy-----	23	Somewhat limited Depth to saturated zone Shrink-swell Slope	0.98 0.50 0.04	Very limited Depth to saturated zone Shrink-swell Slope	1.00 0.50 0.04	Very limited Slope Depth to saturated zone Shrink-swell	1.00 0.98 0.50
Uaa: Udorthents, Cut And Filled-----	83	Not limited		Not limited		Somewhat limited Slope	0.55
Table ENG-3.--Building Site Development--Continued							

Map symbol and soil name	Pct. of map	Dwellings without basements		Dwellings with basements		Small commercial buildings	
-----------------------------	-------------------	--------------------------------	--	-----------------------------	--	-------------------------------	--

	unit						
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
UaoAK: Udifluvents, Cut And Filled-----	65	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
Urban Land-----	25	Not rated		Not rated		Not rated	
UedA: Urban Land-----	60	Not rated		Not rated		Not rated	
Aquents, Clayey Substratum-----	25	Not limited		Not limited		Not limited	
UndAY: Urban Land-----	65	Not rated		Not rated		Not rated	
Udifluvents-----	25	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
UngB: Urban Land-----	45	Not rated		Not rated		Not rated	
Udarents, Fragipan Substratum-----	30	Not limited		Not limited		Somewhat limited Slope	0.12
UnkB: Urban Land-----	45	Not rated		Not rated		Not rated	
Udarents, Silty Substratum-----	30	Not limited		Not limited		Not limited	
UnpA: Urban Land-----	45	Not rated		Not rated		Not rated	
Udarents, Loamy Substratum-----	30	Not limited		Not limited		Not limited	
UnsB: Urban Land, hills underlain with limestone-----	40	Not rated		Not rated		Not rated	
Udarents, Clayey Substratum, hills underlain with limestone-----	30	Not limited		Not limited		Somewhat limited Slope	0.12
W: Water-----	100	Not rated		Not rated		Not rated	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WaaAV: Wakeland-----	83	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
WaaAW: Wakeland-----	82	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
WedB2: Weddel-----	95	Somewhat limited Depth to saturated zone Shrink-swell	0.98 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Somewhat limited Depth to saturated zone Slope	0.98 0.50 0.01
WhcD: Wellrock-----	50	Somewhat limited		Somewhat limited		Very limited	

		Slope	0.84	Slope	0.84	Slope	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
Gnawbone-----	41	Somewhat limited Slope	0.84	Somewhat limited Slope Depth to soft bedrock	0.84 0.01	Very limited Slope	1.00
WnmA: Whitcomb-----	87	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
WokAV: Wilbur-----	78	Very limited Flooding Depth to saturated zone	1.00 0.98	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.98
WokAW: Wilbur-----	83	Very limited Flooding Depth to saturated zone	1.00 0.98	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.98
WprAW: Wirt-----	83	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00